

# Safety Data Sheet

OSHA format Revision Number 0

Revision Date Aug-15-2019

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Sulfuric Acid 0.12N

Other means of identification

Product Code(s) 7748 UN-No 3264

Recommended use of the chemical and restrictions on use

Recommended Use Use as a laboratory reagent. Laboratory chemicals. Industrial (not for food or food contact

use).

Uses advised against

This product should not be used in applications other than those listed

Details of the supplier of the safety data sheet

LaMotte Company, Inc. 802 Washington Avenue

P.O. Box 329

Chestertown, MD 21620 USA

T 410-778-3100 F 410-778-9748

**Emergency telephone numbers** 

(CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

### 2. HAZARDS IDENTIFICATION

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A

#### **EMERGENCY OVERVIEW**

#### DANGER

#### Hazard statements

Causes severe skin burns and eye damage. May cause cancer.





Appearance Clear, colorless

Physical state liquid

Odor Odorless

# **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust /fume /gas /mist /vapors /spray. Wash face, hands and any exposed skin thoroughly after handling.

**Response:** Immediately call a poison center or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an approved waste disposal plant.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS\*

Chemical name	CAS No	Weight-%
Sulfuric acid	7664-93-9	0.6
Water	7732-18-5	to 100%

# 4. FIRST AID MEASURES

**First Aid Measures** 

General advice Do not get in eyes, on skin, or on clothing. Do not breathe dust /fume /gas /mist /vapors

/spray.

Eye contact Immediately flush eyes with gentle stream of water for at least 15 minutes, occasionally

lifting upper and lower eyelids. Call a physician immediately.

**Skin contact**Wash off immediately with soap and plenty of water for at least 15 minutes while removing

all contaminated clothing and shoes. Excess acid on skin can be neutralized with a 2%

solution of sodium bicarbonate in water. Consult a physician.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration and contact emergency personnel.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Clean mouth with water. Call a physician

immediately. Never give anything by mouth to an unconscious person.

<u>Self-protection of the first aider</u> Use personal protective equipment. See section 8 for more information. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical or CO<sub>2</sub>. DO NOT USE WATER.

Specific hazards arising from the chemical

Contact with most metals causes the formation of explosive and flammable hydrogen gas. React vigorously with water.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use

personal protective equipment. See section 8.

Environmental precautions See Section 12 for additional Ecological Information. Beware of vapors accumulating to

form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

**Revision Date** 

Aug-15-2019

national regulations (see Section 13).

Methods for cleaning up Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent

splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away

traces with water.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent contact with

skin, eyes, and clothing. Do not taste or swallow. Do not eat, drink, or smoke when using

this product.

Conditions for safe storage, including any incompatibilities

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.

Incompatible Products Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid	TWA: 0.2 mg/m³ thoracic	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>
7664-93-9	particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Water	*-	*-	Not Established
7732-18-5			

**Appropriate engineering controls** 

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves/clothing.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Issuing Date Feb-02-2015

Odor

Revision Date Aug-15-2019

Odorless

Appearance Clear, colorless

Color Clear, colorless

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 1

Melting point / freezing point

Boiling point / boiling range

No information available
No information available

Flash point Not Applicable

**Evaporation rate** 

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available No information available Lower flammability limit: Vapor pressure No information available Vapor density No information available Specific gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

### 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use and storage.

**Hazardous Reactions** Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** Excessive heat. Incompatible products. Direct sunlight.

Incompatible materials Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

Hazardous decomposition products Hydrogen gas. Sulfur oxides (SOx).

### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Component identification

Chemical name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Sulfuric acid	= 2140 mg/kg (Rat)	Not Established	= 0.375 mg/L (Rat) 4 h
7664-93-9			
Water	> 90 mL/kg (Rat)	Not Established	Not Established
7732-18-5			

Information on toxicological effects

	ACOUL			
Chamical name	I ACCIL	IABC		
Chemical name			NIP	

Sulfuric acid 7664-93-9	A2	Group 1	Known	Х
Water 7732-18-5	Not Established	Not Established	Not Established	Not Established

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Unknown Aquatic Toxicity 0 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sulfuric acid 7664-93-9	Not Established	500: 96 h Brachydanio rerio mg/L LC50 static	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established

### Persistence and degradability

No information available.

# **Bioaccumulation/Accumulation**

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid	Not Established
7664-93-9	
Water	Not Established
7732-18-5	

### 13. DISPOSAL CONSIDERATIONS

**Disposal Methods** 

Dispose according to federal, state, and local regulations. If permitted, neutralize reagent with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.

### Contaminated packaging

Do not reuse empty containers.

С	hemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
	Sulfuric acid	Not Established	-	Not Established	Not Established
	7664-93-9				
	Water	Not Established	-	Not Established	Not Established
	7732-18-5				

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sulfuric acid	Toxic
7664-93-9	Corrosive
Water	*-
7732-18-5	

### 14. TRANSPORT INFORMATION

**DOT** 

Proper shipping name CORROSIVE LIQUID, ACIDIC, N.O.S. (<1% Sulfuric acid solution)

UN-No 3264
Hazard Class 8
Packing group III
Reportable Quantity (RQ) 1000

TDG Not regulated

MEX Not regulated

ICAO Not regulated

<u>IATA</u>

**UN-No** 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<1% Sulfuric acid solution)

Hazard Class 8
Packing group |||

IMDG/IMO

**UN-No** 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<1% Sulphuric acid solution)

Hazard Class 8
Packing group III

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies Complies **PICCS** Complies **AICS** 

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid 7664-93-9	1.0
Water 7732-18-5	Not Established

# SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard No **Reactive Hazard** Yes

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	Not Established	Not Established	Х
Water 7732-18-5	Not Established	Not Established	Not Established	Not Established

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ
Water	*-	Not Established	-
7732-18-5			

### **US State Regulations**

### **California Proposition 65**

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

Chemical name	California Proposition 65
Sulfuric acid	Carcinogen
7664-93-9	
Water	Not Established
7732-18-5	

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Water 7732-18-5	Not Established	Not Established	Х

### CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

	Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances	
	Sulfuric acid 7664-93-9	Add POISON to label, 16 CFR 1500.129	
16. OTHER INFORMATION			

NFPA Health hazard 1 Physical and Chemical Health hazard 1 Hazards W

Stability 1



Prepared by Issuing Date **Revision Date** Reason for revision Regulatory Affairs Department Feb-02-2015 Aug-15-2019 New GHS format

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**